

Verification Report No. SZXEC2201736001 Date: 28 Jun 2022 Page 1 of 8

Client Name: FLASHBAY ELECTRONICS

Client Address: BUILDING2, JIXUN INDUSTRIAL PARK, XINJIAO, DONG'AO VILLAGE, SHATIAN TOWN,

HUIYANG DISTRICT, HUIZHOU CITY, GUANGDONG PROVINCE, P.R. CHINA

Sample Name: USB Flash Drives

Tested Basic Model No. (P.O. Slap/SL

No.):

The above sample(s) and information were provided by the client.

SGS Job No. : RP22-013417 - SZ

Date of Sample Received: 27 May 2022

Verification Period: 27 May 2022 - 14 Jun 2022

Verification Requested: With reference to RoHS Directive (EU) 2015/863 amending 2011/65/EU.

Verification Method(s): Please refer to next page(s).

Verification Result(s): Please refer to next page(s).

Verification Conclusion: Based on the verification results of the submitted samples, the results of Lead,

Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBBs),

Polybrominated diphenyl ethers (PBDEs) and Phthalates such as

Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl

phthalate (DBP), and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.

Signed for and on behalf of

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch



Approved Signatory





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction sixes defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 501-501, Plant 3, Broom 501-501, Plant 3, Brand 3, Broom 501-501, Plant 4, Broom 501-501, Plant 4, Broom 501-501, Plant 4, Broom 501-501, Plant 3, Broom 501-501, Plant 3, Broom 501-501, Plant 4, Broom 501-501, Plant 3, Broom 501-501, Pl



No. SZXEC2201736001

Page 2 of 8

Verification Method(s):

1. With reference to IEC 62321-2:2021, review was performed for the samples disjointed from the submitted articles.

Date: 28 Jun 2022

- 2. With reference to IEC 62321-1:2013, tests were performed for the samples indicated by the photos in this report
- (1) With reference to IEC 62321-3-1:2013, screening by EDXRF spectroscopy. (2) Wet chemical test method: With reference to IEC 62321-4:2013+A1:2017, IEC62321-5:2013, IEC 62321-7-1:2015, IEC 62321-7-2:2017, ISO 17075-1:2017, IEC 62321-6:2015 and IEC62321-8:2017, analyzed by ICP-OES,UV-Vis and GC-MS.

In accordance with the result of material risk assessment, the following disjointed parts in the submitted sample have been verified.

Part No.	Part Description	Restricted Substances	Results of EDXRF ⁽¹⁾	Screening Result of PHTH ⁽²⁾	Result of Wet Chemical Testing	Conclusion	Sample Submitted / Resubmitted Date
1	Red plastic part with white	Pb	BL			Comply	27 May 2022
	printing	Cd	BL			Comply	
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs	BL			Comply	
		PBDEs	BL			Comply	
		DBP			ND	Comply	
		BBP			ND	Comply	
		DEHP			ND	Comply	
		DIBP			ND	Comply	
2	Silvery metal part	Pb	BL			Comply	27 May 2022
		Cd	BL			Comply	
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs					
		PBDEs					
		DBP					
		BBP					
		DEHP					
		DIBP					





No. SZXEC2201736001

Date.	28	lun	2022
Daic.	70	JULI	/ ()//

Page 3 of 8

Part No.	Part Description	Restricted Substances	Results of EDXRF ⁽¹⁾	Screening Result of PHTH ⁽²⁾	Result of Wet Chemical Testing	Conclusion	Sample Submitted / Resubmitted Date
3	Black plastic part	Pb	BL			Comply	27 May 2022
		Cd	BL			Comply	
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs	BL			Comply	
		PBDEs	BL			Comply	
		DBP			ND	Comply	
		BBP			ND	Comply	
		DEHP			ND	Comply	
		DIBP			ND	Comply	
4	White adhesive glue	Pb	BL			Comply	27 May 2022
	Willie dallesive glac	Cd	BL			Comply	27 Way 2022
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs	BL			Comply	
		PBDEs	BL			Comply	
		DBP			ND	Comply	
		BBP			ND	Comply	
		DEHP			ND	Comply	
		DIBP			ND	Comply	
5	Black plastic part	Pb	BL			Comply	27 May 2022
	practic part	Cd	BL			Comply	21 IVIAY 2022
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs	IN		ND	Comply	
		PBDEs	IN		ND	Comply	
		DBP			ND	Comply	





No. SZXEC2201736001

Date: 28	Jun 2022	Page 4 of 8

Part No.	Part Description	Restricted Substances	Results of EDXRF ⁽¹⁾	Screening Result of PHTH ⁽²⁾	Result of Wet Chemical Testing	Conclusion	Sample Submitted / Resubmitted Date
		BBP			ND	Comply	
		DEHP			ND	Comply	
		DIBP			ND	Comply	
6	Black electron component	Pb	BL			Comply	27 May 2022
	body	Cd	BL			Comply	
		Hg	BL			Comply	
		Cr(VI)▼	BL			Comply	
		PBBs	BL			Comply	
		PBDEs	BL			Comply	
		DBP			ND	Comply	
		BBP			ND	Comply	
		DEHP			ND	Comply	
		DIBP			ND	Comply	





No. SZXEC2201736001

Page 5 of 8

Date: 28 Jun 2022

Remark

- (1) (a) There are the results on total Br while test items on restricted substances are PBBs and PBDEs. There is the result on total Cr while test item on restricted substances is Cr(VI).
 - (b) Results are obtained by EDXRF for primary screening, and further chemical testing by ICP-OES (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) is recommended to be performed if the concentration exceeds the below warning value according to IEC62321-3-1:2013 (unit: mg/kg).

Element	Polymer	Metal	Composite Materials		
Cd	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>BL≤(70-3σ)<x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<></td></x<(130+3σ)≤ol<>	BL≤(70-3σ) <x<(130+3σ)≤ol< td=""><td>LOD<x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<></td></x<(130+3σ)≤ol<>	LOD <x<(150+3σ)≤ol< td=""></x<(150+3σ)≤ol<>		
Pb	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>		
Hg	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(700-3σ)<x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(700-3σ) <x<(1300+3σ)≤ol< td=""><td>BL≤(500-3σ)<x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<></td></x<(1300+3σ)≤ol<>	BL≤(500-3σ) <x<(1500+3σ)≤ol< td=""></x<(1500+3σ)≤ol<>		
Br	BL≤(300-3σ) <x< td=""><td>Not Applicable</td><td>BL≪(250-3σ)<x< td=""></x<></td></x<>	Not Applicable	BL≪(250-3σ) <x< td=""></x<>		
Cr	BL≤(700-3σ) <x< td=""><td>BL≤(700-3σ)<x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<></td></x<>	BL≤(700-3σ) <x< td=""><td>BL≤(500-3σ)<x< td=""></x<></td></x<>	BL≤(500-3σ) <x< td=""></x<>		

- (c) BL = Below Limit, OL = Over Limit, IN = Inconclusive, LOD = Limit of Detection.
- (d) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (2) Screening results of PHTH are for primary screening, and further chemical testing by GC-MS (for DBP, BBP, DEHP and DIBP) are recommended to be performed if the concentration exceeds the below warning value(unit: mg/kg).

Compound	Polymer
DBP	BL ≤ 600< X
BBP	BL ≤ 600< X
DEHP	BL ≤ 600< X
DIBP	BL ≤ 600< X

- (3) (a) mg/kg = 0.0001%, MDL=Method detection Limit, ND = Not Detected (<MDL), --- = Not Applicable, - = Without BOM.
 - (b) Unit and MDL in wet chemical test

Test Item	Pb	Cd	Hg	DBP	BBP	DEHP	DIBP
Unit	mg/kg						
MDL	10	10	10	100	100	100	100

The MDL for single compound of PBBs and PBDEs is 100 mg/kg, MDL of Cr(VI) for polymer, composite and leather sample is 10 mg/kg. MDL of Cr(VI) for metal sample is 0.10µg/cm².

- (c) ▼ =Metal sample
 - a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI)
 - b. The sample is negative for Cr(VI) if Cr(VI) is ND (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating
 - c. The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive
 - unavoidable coating variations may influence the determination

Information on storage conditions and production date of the tested sample is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.

中国•广东•深圳市龙岗区坂田街道坂田社区吉华路430号江灏(坂田)工业厂区厂房4号101-901、2号101、3号101、3号301-501 邮编:518129



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction is suses defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Room 101-901, Plant 4 & Room 101, Plant 2 & Room 101, Plant 3 & Room 301-501, Plant 3 & Room 301-501, Plant 3, Jianghao (Bantian) Industrial Plant Area, No. 430, Jihua Road, Bantian Community, Bantian Street, Longgang District, Shenzhen, Guangdong, China 516129 www.sgsgroup.com.cn t (86-755) 25328888 sgs.china@sgs.com



No. SZXEC2201736001 Date: 28 Jun 2022 Page 6 of 8

- (4) Restricted substances and maximum concentration values tolerated by weight in homogeneous materials under RoHS Directive: Cd: 0.01%, Pb/Hg/Cr(VI)/PBBs/PBDEs/DEHP/DBP/BBP/DIBP: 0.1%. The limit is guoted from RoHS Directive (EU) 2015/863.
- (5) IEC 62321 series is equivalent to EN 62321 series. https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101::::FSP ORG ID,FSP LANG I D:1258637,25

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.





No. SZXEC2201736001

Page 7 of 8

Date: 28 Jun 2022

Sample photo:










No. SZXEC2201736001

Date: 28 Jun 2022 Page 8 of 8



SGS authenticate the photo on original report only

*** End of Report ***

